

	Time Stamp	Comments	Error Definition	Errors
1	2004/05/28 13:55			0
2	2004/05/27 13:04			0
3	2004/05/27 13:10			0
4	2004/05/27 13:10			0
5	2004/05/27 13:10			0
6	2004/05/27 13:13			0
7	2004/05/27 13:13			0
8	2004/05/27 13:13			0
9	2004/05/27 15:26			0
10	2004/05/27 15:29			0
11	2004/05/27 15:36			0
12	2004/05/28 13:55			0
13	2004/05/28 13:59			0
14	2004/05/28 13:57			0
15	2004/05/28 13:59			0

	Type	Hits	Search Text	DBs
16	BRS	25	(yahoo or hotmail) and account with name with ID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	247	(yahoo or hotmail) and account with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1340855	(yahoo or hotmail) and account with name with generat\$4 or creat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	28	(yahoo or hotmail) and account with name with (generat\$4 or creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	241	(yahoo or hotmail) and account with name and (generat\$4 or creat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	208	(yahoo or hotmail) and account with name and (generat\$4 or creat\$4) with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	178	(yahoo or hotmail) and unique with user with (ID or name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	173	(yahoo or hotmail) and unique with user with (ID or name) and (creat\$4 or generat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	36	(yahoo or hotmail) and unique with user with (ID or name) with (creat\$4 or generat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	IS&R	730	(715/530).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	3	((715/530).CCLS.) and file with name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1	((715/530).CCLS.) and file near5 name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	((715/530).CCLS.) and account near5 name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	((715/530).CCLS.) and account with name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	6	((715/530).CCLS.) and name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	((715/530).CCLS.) and name with generatJ\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	57	((715/530).CCLS.) and name with generat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	IS&R	730	(715/530).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	4	((715/530).CCLS.) and name with random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	466	((715/530).CCLS.) and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2168	yahoo or hotmail	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	996	(yahoo or hotmail) and account	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	871	((yahoo or hotmail) and account) and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	517	((yahoo or hotmail) and account) and name) and id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
16	2004/05/28 14:04			0
17	2004/05/28 14:17			0
18	2004/05/28 14:18			0
19	2004/05/28 14:42			0
20	2004/05/28 14:53			0
21	2004/05/28 14:56			0
22	2004/05/28 17:07			0
23	2004/05/28 17:08			0
24	2004/05/28 17:08			0

5/28/04

	Time Stamp	Comments	Error Definition	Errors
16	2004/05/28 14:04			0
17	2004/05/28 14:17			0
18	2004/05/28 14:18			0
19	2004/05/28 14:42			0
20	2004/05/28 14:53			0
21	2004/05/28 14:56			0
22	2004/05/28 17:07			0
23	2004/05/28 17:08			0
24	2004/05/28 17:08			0
25	2004/06/02 14:51			0
26	2004/06/04 16:45			0
27	2004/06/04 16:45			0
28	2004/06/04 17:04			0
29	2004/06/04 17:06			0

	Type	Hits	Search Text	DBs
30	BRS	0	generating with random near5 screen near5 name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	creating with random near5 screen near5 name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	2	random near5 screen near5 name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	92	(generate or create or develop) near5 screen near5 name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	186	(generate or create or develop) near5 screen near5 (name or ID or identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	38114	(generate or create or develop) with (name or ID or identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	3579	(generate or create or develop) with (name or ID or identifier) with unique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	267	(generate or create or develop) near (name or ID or identifier) with unique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	226	(generate or create or develop) near (name or ID or identifier) with unique and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	24	(generate or create or develop) near (name or ID or identifier) with unique with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	42	URL adj Encode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	2	5465206.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	word with element with randomly with selected with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1	word with element with randomly with selected and list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	16	word with element with randomly and selected and list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
45	2004/06/08 13:55			0
46	2004/06/08 15:43			0
47	2004/06/08 15:44			0
48	2004/06/08 15:50			0
49	2004/06/08 15:54			0
50	2004/06/08 17:16			0
51	2004/06/08 17:22			0
52	2004/06/09 10:25			0

	Type	Hits	Search Text	DBs
53	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second and comparing and list and existing and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second and comparing and list and existing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second and comparing and list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second and comparing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
59	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	0	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	1	seed and single and digit and number and incrementing and numerical and one and first and seeded and account and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	single and digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second and comparing and list and existing and user and acceptance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	digit and number and incrementing and numerical and one and first and seeded and account and name and unique and combining and requested and incremented and produce and second and comparing and list and existing and user and acceptance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
66	2004/06/09 10:26			0
67	2004/06/09 10:26			0
68	2004/06/09 11:28			0
69	2004/06/09 10:28			0
70	2004/06/09 12:55			0
71	2004/06/09 12:55			0
72	2004/06/10 15:33			0

	Type	Hits	Search Text	DBs
73	BRS	126	providing and without and input and suggestion and names and user and list and multiple and alternate and unique and account and ability and select and alternate and enter and new and string and request and automated and generation and new and multiple	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1	automated with name and (generation or creation) with present with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	2	6182131.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	2	5452654.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	2	5687322.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	2	5781438.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	IS&R	730	(715/530).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	3	((715/530).CCLS.) and file with name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1	((715/530).CCLS.) and file near5 name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	((715/530).CCLS.) and account near5 name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	((715/530).CCLS.) and account with name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	6	((715/530).CCLS.) and name with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	((715/530).CCLS.) and name with generatJ\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	57	((715/530).CCLS.) and name with generat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	IS&R	730	(715/530).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	4	((715/530).CCLS.) and name with random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	466	((715/530).CCLS.) and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2168	yahoo or hotmail	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	996	(yahoo or hotmail) and account	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	871	((yahoo or hotmail) and account) and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	517	((((yahoo or hotmail) and account) and name) and id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB